


ITEM	QTY -041	PART NUMBER	DESCRIPTION
1	X	D4435-041	BRACKET ASSEMBLY
2	1	D4435-1	BRACKET
3	1	D4441-1-035	RUBBER SEAL
4	A/R	3M 1300/1300L	ADHESIVE



D4435-041 BRACKET ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.04 lbs
- 8) GLUE RUBBER SEAL TO BRACKET EDGE USING 3M 1300/1300L ADHESIVE, EXCEPT 0.7" FROM EACH END.
ENSURE BRACKET IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL

RELEASED


2018 OCT 19

2018-02-28

APPROVED

C	ADD D4435-11 BRACKET AND D4435-047 ASSY. REF. PAR18-256	PM	18.09.18
B	ADD A HOLE TO D4435-9F (ZN C7-11)	RF	12.01.27
A	NEW ISSUE	RF	12.01.17
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	PM		
CHECKED	VS	DRAWING NO.	REV. C
MFG. APPR.	DD	D4435	SHEET 1 OF 13
APPROVED	VS	TITLE	SCALE
DE APPR.	DS	BRACKET	NTS
DATE	18.09.18	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

ITEM	QTY -043	PART NUMBER	DESCRIPTION
1	X	D4435-043	MOUNT BRACKET ASSEMBLY
2	1	D4435-3	BRACKET
3	1	D4441-1-037	RUBBER SEAL
4	A/R	3M 1300/1300L	ADHESIVE



D4435-043 MOUNT BRACKET ASSEMBLY

NOTES:



- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.04 lbs
- 8) GLUE RUBBER SEAL TO BRACKET EDGE USING 3M 1300/1300L ADHESIVE, EXCEPT 1.0" FROM EACH END.
ENSURE BRACKET IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL

RELEASED
2018 OCT 19

APPROVED

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	PM	HAWKESBURY, ONTARIO, CANADA	
CHECKED	VS	DRAWING NO.	REV. C
MFG. APPR.	DD	D4435	SHEET 2 OF 13
APPROVED	VS	TITLE	SCALE
DE APPR.	DS	BRACKET	NTS
DATE	18.09.18	COPYRIGHT © 2012 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

ITEM	QTY -045	PART NUMBER	DESCRIPTION
1	X	D4435-045	T/R BELLCRANK COVER ASSEMBLY
2	1	D4435-5	MOUNT BRACKET
3	1	D4435-7	BRACKET
4	4	MS20426AD3-2	RIVET
5	4	MS20470AD4-3	RIVET
6	1	MS21059L3	NUT PLATE
7	1	MS21062L3	NUT PLATE



D4435-045 T/R BELLCRANK COVER ASSEMBLY

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: POWDER COAT "BLACK SANDTEX" (4.3.5.7) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.371 lbs
 - 8) INSTALL D4435-5 BRACKET SURFACE FLUSH WITH THIS EDGE
 - 9) TRANSFER Ø0.129 HOLES FROM D4435-5 MOUNT BRACKET INTO D4435-7 BRACKET


RELEASED

2018 OCT 19

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	PM		
CHECKED	VS	DRAWING NO.	REV. C
MFG. APPR.	DD	D4435	SHEET 3 OF 13
APPROVED	VS	TITLE	SCALE
DE APPR.	DS	BRACKET	NTS
DATE	18.09.18	COPYRIGHT © 2012 BY DART AEROSPACE LTD	
		THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

ITEM	QTY -047	PART NUMBER	DESCRIPTION
	X	D4435-047	BRACKET ASSEMBLY
1	1	D4435-11	BRACKET
2	1	D4441-1-047	RUBBER SEAL
3	A/R	3M 1300/1300L	ADHESIVE



D4435-047 BRACKET ASSEMBLY


- NOTES:**
- 1) MATERIAL: N/A
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.06 lbs
 - 8) GLUE RUBBER SEAL TO BRACKET EDGE USING 3M 1300/1300L ADHESIVE, EXCEPT 0.7" FROM EACH END. ENSURE BRACKET IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL
 - 9) TRIM RUBBER SEAL TO FIT BRACKET IN THIS AREA

RELEASED

2018 OCT 19

APPROVED

DESIGN	PM	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	PM		
CHECKED	VS	DRAWING NO.	REV. C
MFG. APPR.	DD	D4435	SHEET 4 OF 13
APPROVED	VS	TITLE	SCALE
DE APPR.	DS	BRACKET	NTS
DATE	18.09.18	COPYRIGHT © 2012 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



NOTES:


- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6S.040
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "BLACK SANDTEX" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.02 lbs


RELEASED

2018 OCT 19

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	PM		
CHECKED	VS	DRAWING NO.	REV. C
MFG. APPR.	DD	D4435	SHEET 5 OF 13
APPROVED	VS	TITLE	SCALE
DE APPR.	DS	BRACKET	NTS
DATE	18.09.18	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	








D4435-5 MOUNT BRACKET

- NOTES:
- 1) MATERIAL: MAKE FROM D4435-5F FLAT PATTERN
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.08 lbs

RELEASED
2018 OCT 19

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	PM		
CHECKED	VS	DRAWING NO.	REV. C
MFG. APPR.	DD	D4435	SHEET 7 OF 13
APPROVED	VS	TITLE	SCALE
DE APPR.	DS	BRACKET	NTS
DATE	18.09.18	COPYRIGHT © 2012 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



D4435-7 BRACKET

NOTES:

- 1) MATERIAL: MAKE FROM D4435-7F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.29 lbs

RELEASED

2018 OCT 19

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	PM		
CHECKED	VS	DRAWING NO. D4435	REV. C
MFG. APPR.	DD		SHEET 9 OF 13
APPROVED	VS	TITLE	SCALE
DE APPR.	DS	BRACKET	NTS
DATE	18.09.18	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

D

C

B


A

D


C

B


A



DETAIL A
SCALE 2X B5-9



DETAIL B
SCALE 2X B3-9



D4435-7F FLAT PATTERN

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6S.040
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.29 lbs


RELEASED


2018 OCT 19




APPROVED

DESIGN	RF
DRAWN	PM
CHECKED	VS
MFG. APPR.	DD
APPROVED	VS
DE APPR.	DS
DATE	18.09.18

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWING NO. D4435	REV. C SHEET 10 OF 13
TITLE BRACKET	SCALE NTS
COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	







D4435-11 BRACKET

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6S.040
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "BLACK SANDTEX" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: .027 lbs

RELEASED

2018 OCT 19

APPROVED

DESIGN	PM	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	PM		
CHECKED	VS	DRAWING NO.	REV. C
MFG. APPR.	DD	D4435	SHEET 13 OF 13
APPROVED	VS	TITLE	SCALE
DE APPR.	DS	BRACKET	NTS
DATE	18.09.18	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	